




# LIGHT GUARDIAN™



Light Guardian  
Specifications



# LIGHT GUARDIAN™

## A Detachable Mobile Security & Surveillance System

### CAMERA

- Megapixel resolution (1600 x 1200) to capture small details and better identify subjects.
- Quad streaming MPEG4/JPEG video
- Comes with free 16-CH recording software
- Up to 30 frames per second
- Pan range of -175° to +175°
- Tilt range of +90° to -23°
- 4X digital zoom
- 32gb onboard storage
- 0.2 lux minimum illumination

### ENCLOSURE

- Vandal proof lockable cover system
- IP66 outdoor rated protection and IP68 connection ports
- Heavy duty, nonmetallic, non-corrosive, flame resistant, vandal tough Polycarbonate Thermal Plastic alloy case

### CONNECTIVITY

- Rugged 3g cellular modem
- WiFi accessible

### ELECTRICAL SYSTEM

- Power cable is exposed.
- Built in surge suppressor, power conditioner and low voltage disconnect
- 40' power cable with IP66 rated magnetic power switch





### MOUNT

- Stainless steel bolts
- Fully adjustable U bracket design
- Non vibration isolation

### DIMENSIONS - Length x Width x Height (In transport mode)

- Width: 12"
- Length: 15"
- Height: 18"
- Weight: 18lbs







**Powko Industrial LLC  
40432 Misty Oak Court,  
Prarieville, LA 70769**

**Toll Free: (888) 363-6380  
Phone: (225) 363-6379  
Fax: (225) 363-6380**

**[www.lightguardian.com](http://www.lightguardian.com)**